Applicant: Christopher L. Coleman

Serial No.: 10/607,655 Filed: July 23, 2004 Docket No.: 10030279-1

Title: DIFFRACTIVE OPTICAL ELEMENT WITH ANTI-REFLECTION COATING

IN THE CLAIMS

Please cancel claim 6.

Please add claims 21-24.

Please amend claims 1 and 16 as follows:

1.(Currently Amended) A diffractive optical element, comprising:

a substrate having a surface relief pattern formed on a first side thereof; and

an anti-reflection coating formed on the surface relief pattern by a directional deposition technique, thereby forming a coated surface relief pattern with substantially the same dimensions as the surface relief pattern formed on the substrate.

2.(Original) The diffractive optical element of claim 1, wherein the substrate is a semiconductor material.

3.(Original) The diffractive optical element of claim 1, wherein the diffractive optical element is a transmission grating.

4.(Original) The diffractive optical element of claim 1, wherein the anti-reflection coating is a dielectric material.

5.(Original) The diffractive optical element of claim 4, wherein the anti-reflection coating is selected from the group consisting of silicon nitride, titanium dioxide, and silicon dioxide.

6.(Cancelled)

7.(Original) The diffractive optical element of claim 1, wherein the surface relief pattern formed on the substrate includes a first set of surfaces that are each substantially parallel to a longitudinal plane of the substrate, and a second set of surfaces that are each substantially

2

Applicant: Christopher L. Coleman

Serial No.: 10/607,655 Filed: July 23, 2004 Docket No.: 10030279-1

Title: DIFFRACTIVE OPTICAL ELEMENT WITH ANTI-REFLECTION COATING

perpendicular to the longitudinal plane, and wherein each of the surfaces in the second set includes a surface portion that is substantially free from the anti-reflection coating.

8.(Original) The diffractive optical element of claim 7, wherein each of the surfaces in the first set is substantially covered by the anti-reflection coating.

9.(Original) A method of forming a substantially anti-reflective diffractive optical element, comprising:

providing a substrate;

forming a surface relief pattern on a first side of the substrate; and directionally depositing an anti-reflection coating on the surface relief pattern, thereby substantially maintaining dimensions of the surface relief pattern.

10.(Original) The method of claim 9, wherein the substrate is a semiconductor material.

11.(Original) The method of claim 9, wherein the anti-reflection coating is a dielectric material.

12.(Original) The method of claim 11, wherein the anti-reflection coating is selected from the group consisting of silicon nitride, titanium dioxide, and silicon dioxide.

13.(Original) The method of claim 9, wherein the anti-reflection coating is deposited by evaporation.

14.(Original) The method of claim 13, wherein the anti-reflection coating is deposited by electron beam evaporation.

15.(Original) The method of claim 9, wherein the anti-reflection coating is deposited by sputtering.

16.(Currently Amended) A diffractive optical element, comprising:

Applicant: Christopher L. Coleman

Serial No.: 10/607,655 Filed: July 23, 2004

Docket No.: 10030279-1

Title: DIFFRACTIVE OPTICAL ELEMENT WITH ANTI-REFLECTION COATING

a substrate having a first side with a plurality of light diffracting features, the light

diffracting features each having a width dimension parallel to a longitudinal

plane of the substrate, the substrate configured to focus infrared light; and

an anti-reflection coating formed on the first side of the substrate, thereby forming a

plurality of coated light diffracting features, the coated features each having a

width dimension that is substantially the same as the width dimension of a

corresponding one of the light diffracting features of the substrate.

17.(Original) The diffractive optical element of claim 16, wherein the substrate is a

semiconductor material.

18.(Original) The diffractive optical element of claim 16, wherein the anti-reflection coating

is a dielectric material.

19.(Original) The diffractive optical element of claim 16, wherein the anti-reflection coating

is applied by a directional deposition technique.

20.(Original) The diffractive optical element of claim 16, wherein the plurality of light

diffracting features of the substrate include a first set of surfaces that are each substantially

parallel to the longitudinal plane of the substrate, and a second set of surfaces that are each

substantially perpendicular to the longitudinal plane, and wherein each of the surfaces in the

second set includes a surface portion that is substantially free from the anti-reflection coating.

21.(New) The diffractive optical element of claim 16, wherein the anti-reflection coating has

a thickness greater than about 170 nanometers.

22.(New) The diffractive optical element of claim 16, wherein the substrate is configured to

focus infrared light at wavelengths greater than about 700 nanometers.

23.(New) The diffractive optical element of claim 16, wherein the anti-reflection coating

comprises titanium oxide.

4

Applicant: Christopher L. Coleman

Serial No.: 10/607,655 Filed: July 23, 2004 Docket No.: 10030279-1

Title: DIFFRACTIVE OPTICAL ELEMENT WITH ANTI-REFLECTION COATING

24.(New) The diffractive optical element of claim 16, wherein the plurality of light diffracting features comprise a plurality of evenly-spaced grooves formed in the substrate.